


TOP OF CANOPY RAISED

318.0 INSIDE BODY

40.6
TO GROUND



66.0

33.0

A

75 FLOOR

B

30

18.0

58.5

B

2.12

17.0

78.8

2400/35
TIRES

36.8
LOADED

110.5

10.45

22.6
GROUND CLEARANCE

M1005X

BASE

45.0

45.0

385.0 OVER ALL FRAME

J


H

G

F

E


DATE				DRAWN				CHECKED			
MACK TRUCKS, INC.				MACK TRUCKS, INC.				MACK TRUCKS, INC.			
CHASSIS ASSEMBLY				CHASSIS ASSEMBLY				CHASSIS ASSEMBLY			
7RTA54				7RTA54				7RTA54			



7RTA5441

S R Q P N M L K J

7RTR5441



31.6
SPACING

166.8
PLANETARY

64.71
OVERALL WIDTH
TOP & BOTT FLANGES

194.3
O.A. TIRES

136.6
TREAD

31.6
SPACING

318.0 INSIDE BODY

TOP OF CANOPY RAISED

410.6
TO GROUND

SEE VIEW C-C
ONE Y-8

S

R

Q

P

N


M

L

K

J

TRTA5441



180.0

88.0

79.0

SEE VIEW C-C
ZONE Y-8

30.0

28.5

16.5

TOP OF CANOA